



Nonlinear Optics at the U.S. Army Research Laboratory's Weapons and Materials Research Directorate

by Anthony Valenzuela, Andrew Porwitzky, and Chase Munson

ARL-SR-222

March 2011

NOTICES

Disclaimers

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

Citation of manufacturer's or trade names does not constitute an official endorsement or approval of the use thereof.

Destroy this report when it is no longer needed. Do not return it to the originator.

Army Research Laboratory

Aberdeen Proving Ground, MD 21005-5066

ARL-SR-222**March 2011**

Nonlinear Optics at the U.S. Army Research Laboratory's Weapons and Materials Research Directorate

**Anthony Valenzuela, Andrew Porwitzky, and Chase Munson
Weapons and Materials Research Directorate, ARL**

REPORT DOCUMENTATION PAGE				Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.					
1. REPORT DATE (DD-MM-YYYY) March 2011		2. REPORT TYPE Final		3. DATES COVERED (From - To) October 2009–September 2010	
4. TITLE AND SUBTITLE Nonlinear Optics at the U.S. Army Research Laboratory's Weapons and Materials Research Directorate				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) Anthony Valenzuela, Andrew Porwitzky, and Chase Munson				5d. PROJECT NUMBER AH43	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) U.S. Army Research Laboratory ATTN: RDRL-WMP-A Aberdeen Proving Ground, MD 21005-5066				8. PERFORMING ORGANIZATION REPORT NUMBER ARL-SR-222	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution is unlimited.					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT We provide an overview of efforts and interest in studying directed energy and ultrashort pulse lasers in the U.S. Army Research Laboratory's Weapons and Materials Research Directorate (WMRD). WMRD's interest in nonlinear optics lies primarily in target effects of filaments impacting on solid surfaces. In addition, we are keenly interested in on-going work in the theory and modeling of the basic physical understanding of propagation through atmosphere and particulates.					
15. SUBJECT TERMS plasma physics, nonlinear optics, directed energy, filaments					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT UU	18. NUMBER OF PAGES 16	19a. NAME OF RESPONSIBLE PERSON Anthony Valenzuela
a. REPORT Unclassified	b. ABSTRACT Unclassified	c. THIS PAGE Unclassified			19b. TELEPHONE NUMBER (Include area code) 410-278-9876

Contents

List of Figures	iv
1. Introduction	1
Distribution List	9

List of Figures

Figure 1. Nonlinear optics at the U.S. Army Research Laboratory - Weapons and Materials Research Directorate.....	1
Figure 2. Overview I.....	2
Figure 3. Overview II.....	2
Figure 4. Overview III.....	3
Figure 5. Overview IV.....	3
Figure 6. Ablation I.....	4
Figure 7. Ablation II.....	4
Figure 8. EM generation.....	5
Figure 9. Plasma diagnostics I.....	5
Figure 10. Plasma diagnostics II.....	6
Figure 11. Plasma diagnostics III.....	6
Figure 12. Filament propagation.....	7
Figure 13. Collaboration.....	7
Figure 14. Contact information.....	8
Figure 15. Original poster.....	8

1. Introduction

The following slides were presented at the Nonlinear Optics Meeting sponsored by the U.S. Air Force Office of Scientific Research (AFOSR) that was held at Albuquerque, NM, in September 2010. The purpose of the meeting was to act as both review of AFOSR sponsored nonlinear optics (NLO) works and also as a kick-off to the FY10 Multidisciplinary University Research Initiative “Propagation of Ultrashort Laser Pulses Through Transparent Media.” The slides are taken from a poster presented at the meeting to inform the U.S. Department of Defense (DOD) and related academic community about the NLO and ultrashort pulse laser efforts at the U.S. Army Research Laboratory’s Weapons and Materials Research Directorate. The goal is to encourage sharing of resources and establish collaborations that are mutually beneficial to the Army and DOD as well as prepare avenues for the translation of basic research to more applied research to meet protection and lethality needs.



Figure 1. Nonlinear optics at the U.S. Army Research Laboratory - Weapons and Materials Research Directorate.

US ARMY RDECOM

OVERVIEW I

AR

WMRD's interest in nonlinear optics lies primarily in target effects of filaments impacting on solid surfaces. In addition, we are keenly interested in on-going work in the theory and modeling of the basic physical understanding of propagation through atmosphere and particulates.

2 UNCLASSIFIED TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.

Figure 2. Overview I.

US ARMY RDECOM

OVERVIEW II


AR

Some of our current and planned efforts include:

- Experimental analysis and modeling of the differences between focused laser ablation and filament ablation on opaque solid targets
- Plasma diagnostics of filament structures for empirical data to support modeling efforts
- EM spectrum generation from filament/target interactions
- Capabilities of filament propagation through non-ideal environments

3 UNCLASSIFIED TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.

Figure 3. Overview II.



OVERVIEW III



Beyond our core mission, we are interested in advances in:


- fs laser development
- Propagation modeling
- Non-Gaussian beam dynamics
- Remote laser induced breakdown spectroscopy

4


UNCLASSIFIED


TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.

Figure 4. Overview III.



OVERVIEW IV





Filament Effects		
Opaque Media	Transparent Media	EM Effects
Kevlar	Fused Silica	EMP Generation
Weakening	Filamentation	Electronic Disruption
Metals	Obfuscation	Radio Interference
Ablation	Plastics	Waveguide
Weakening	Obfuscation	Microwaves
Detection		High Energy Lasers
Plastics		Remote White Light
Damage		Guide Star
Semiconductors		Aerosol Detection
Damage		False IR/Heat Signature

5

UNCLASSIFIED

TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.

Figure 5. Overview IV.




Figure 6. Ablation I.





Figure 7. Ablation II.



US ARMY
RDECOM


EM GENERATION

AR

Interest also lies in the generation of EM interference from the ablation event. Characterization of the resultant field may lead to greater insight into the physics of filament ablation as well as a tell-tale remote signature of the event.

8 UNCLASSIFIED TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.

Figure 8. EM generation.



US ARMY
RDECOM

PLASMA DIAGNOSTICS I

AR

Objective is to perform measurements on filaments to obtain the spatial characteristics of the electron density in the plasma column. Given that plasma nonlinearities are critical to the creation of filaments; the duration, stability and conductivity of filaments is intimately tied to the structure of free electrons. We propose to develop an optical diagnostic to provide empirical data to reinforce models for propagation.

9 UNCLASSIFIED TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.

Figure 9. Plasma diagnostics I.




Figure 10. Plasma diagnostics II.





Figure 11. Plasma diagnostics III.




FILAMENT PROPAGATION

Upcoming efforts are aimed at investigating the propagation of filaments through typical battlefield related obscurants, such as aerosolized dust clouds, combustion by-products (such as gun muzzle blast, or diesel exhaust) and pyrotechnic smokes. Unlike current studies investigating ideal aerosolized water droplets, we seek to understand the filament propagation through these other cloud types which have additional complexities such as heterogeneous particle sizes, non-uniform particle shapes, and multiple chemical components.

12 UNCLASSIFIED TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.

Figure 12. Filament propagation.





COLLABORATION

Our on-going efforts seek collaboration and communication in these and other areas. Our laser facility is capable of 25 mJ in 100fs, and APG does have an outdoor laser test range plus indoor facilities. In addition, we seek to add to our capabilities by working with other systems to compliment our studies on propagation and plasma diagnostics. Collaborations with universities for promoting graduate student research and potential post-docs are encouraged. ARL at APG are secure facilities, restrictions apply.

13 UNCLASSIFIED TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.

Figure 13. Collaboration.

CONTACT INFO

- Dr. Anthony Valenzuela

US Army Research Laboratory

ATTN: RDRL-WMP-A

Aberdeen Proving Ground, MD 21005

tony.valenzuela@us.army.mil
- Dr. Chase Munson

US Army Research Laboratory



ATTN: RDRL-WML-A

Aberdeen Proving Ground, MD 21005


cmunson@arl.army.mil

14
UNCLASSIFIED
TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.

Figure 14. Contact information.

ORIGINAL POSTER



Nonlinear Optics at the US Army Research Laboratory
Weapons & Materials Research Directorate

Anthony Valenzuela, Andrew Poratitzky, Chase Munson

OVERVIEW

WMD's interest in nonlinear optics has primarily in target effects of filaments impacting on solid surfaces. In addition, we are seeing interest in on-going work in the theory and modeling of the basic physical understanding of propagation through atmosphere and particulates. Some of our current and planned efforts include:


- Experimental analysis and modeling of the differences between focused laser ablation and filament ablation on opaque solid targets
- Plasma diagnostics of filament structures for empirical data to support modeling efforts
- EM spectrum generation from filament/target interactions
- Capabilities of filament propagation through individual environments

Beyond our core mission, we are interested in advances in:


- As laser development
- Propagation modeling
- Non-Gaussian beam dynamics
- Remote laser induced breakdown spectroscopy

ABLATION

Objective is to study the physical and manifested differences between ablation from a focused fs laser pulse versus ablation from a filament structure. Key differences are the concentrated plasma column(s), the energy reservoir and the microsecond duration of energetic particles.




Modeling results indicate that melting from interaction with the plasma column is predominant factor at longer time scales.




$\tau \approx 0.3 \mu s$

PLASMA DIAGNOSTICS

Objective is to perform measurements on filaments to obtain the spatial characteristics of the electron density in the plasma column. Given that plasma nonlinearities are critical to the creation of filaments, the duration, stability and conductivity of filaments is intimately tied to the structure of free electrons. We propose to develop an optical diagnostic to provide empirical data to reinforce models for propagation.



The diagnostic utilizes the Shack-Hartmann technique to translate accumulated phase shifts into a series of focal points imaged by a sensor array on a CCD camera. Movement of the focal points is then translated into a map of electron density with expected resolution down to 10^{-4} cm^{-3} or better. By probing on two or more axes, a tomographic reconstruction can reveal a three dimensional, sub picosecond snapshot of the electron density in a filament.



FILAMENT PROPAGATION

Upcoming efforts are aimed at investigating the propagation of filaments through typical battlefield related obscuration, such as aerosolized dust clouds, combustion by-products (such as gun muzzle blast or diesel exhaust) and pyrotechnic smokes. Unlike current studies investigating ideal aerosolized water droplets, we seek to understand the filament propagation through these other cloud types which have additional complexities such as heterogeneous particle sizes, nonuniform particle shapes, and multiple chemical components.


COLLABORATION

Our on-going efforts seek collaboration and communication in these and other areas. Our laser facility is capable of 25 mJ in 100fs, and APLG does have an outdoor laser test range plus indoor facilities. In addition, we seek to add to our capabilities by working with other systems to complement our studies on propagation and plasma diagnostics. Collaborations with universities for promoting graduate student research and potential post-docs are encouraged. ARL at APG are secure facilities, restrictions apply.

CONTACT INFO

Dr. Anthony Valenzuela
US Army Research Laboratory
ATTN: RDRL-WMP-A
Aberdeen Proving Ground MD 21005
tony.valenzuela@us.army.mil

Dr. Chase Munson
US Army Research Laboratory
ATTN: RDRL-WML-A
Aberdeen Proving Ground MD 21005
cmunson@arl.army.mil



Approved for public release; distribution unlimited

15
UNCLASSIFIED
SED.
TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.

Figure 15. Original poster.

NO. OF
COPIES ORGANIZATION

1 DEFENSE TECHNICAL
(PDF INFORMATION CTR
only) DTIC OCA
8725 JOHN J KINGMAN RD
STE 0944
FORT BELVOIR VA 22060-6218

1 DIRECTOR
US ARMY RESEARCH LAB
IMNE ALC HRR
2800 POWDER MILL RD
ADELPHI MD 20783-1197

1 DIRECTOR
US ARMY RESEARCH LAB
RDRL CIM L
2800 POWDER MILL RD
ADELPHI MD 20783-1197

1 DIRECTOR
US ARMY RESEARCH LAB
RDRL CIM P
2800 POWDER MILL RD
ADELPHI MD 20783-1197

1 DIRECTOR
US ARMY RESEARCH LAB
RDRL D
2800 POWDER MILL RD
ADELPHI MD 20783-1197

ABERDEEN PROVING GROUND

1 DIR USARL
RDRL CIM G (BLDG 4600)

INTENTIONALLY LEFT BLANK.